ASAP POS







KF156A / KF156W

Desktop self order kiosk

FEATURES

1. 15.6 inch screen, IPS LCD 1080P Resolution
2. Screen is covered white tempered glass, high permeability, anti-scratch
3. Built-in 80mm thermal printer, printing speed 250mm/s (Max).
4. Built-in 1D/2D scanner
5. Rich reserved interface for peripherals,such as cash drawer

Screen Parameter		
Screen size	15.6inch	
Touch	10points G+G Capacitive touch screen	
Aspect Ratio	16:9	
Resolution	1920 * 1080	
Display area	344.16 ×193.59 mm	
View angel	85/85/85/85 (Typ.)(CR≥10)	
Contrast Ratio	800:1	
Brightness	250cd/㎡	
Color	262K , 45% NTSC	
System configuration (two Option)		
CPU	**RK3568 Quad-core Cortex-A55**	**J6412 4 cores and 4 threads**
GPU	4 cores Mali-G52 2EE	Intel® UHD Graphics
NPU	Support 1Tops	/
Main frequency	2.0GHz	Main frequency 2.0Ghz, Turbo frequency 2.6Ghz
RAM	4GB	8GB
Storage	32GB	128GB
OS	Android 11	Windows10
I/O ports	1*DC, 4*USB, 1*RJ45, 1*RJ11, 1*RJ12,	1*DC , 1*HDMI , 1*DB9 , 1*RJ50 , 1*RJ45 , 4*USB , 1*3.5mm audio , 1*RJ11
Network	LAN : 10M / 100M self-adaption WIFI: 2.4G , 802.11b/g/n Bluetooth	LAN : 10M / 100M self-adaption WIFI: 2.4G , 802.11b/g/n (optional)
Standard configuration		
Build-in Speakers	build in 4 Ω 3W	
Printer 80mm	Automatic paper cutting (full cut /half cut), printing paper width: 79.5±0.5mm, printing width: 72mm, paper roll specification: outer diameter--ϕ80mm (max), printing speed: 250mm/s (Max), printing density: 8 dots/mm, print dots: 576dots/line	
Scanner	1D: UPC-A, UPC-E, UPC-E1, EAN-13, EAN-8, ISBN/ISSN, Code 39, Code 39 (ASCII full code), Code 32, Trioptic Code 39, Interleaved Code 25, Industry 25 Code, Matrix 25, Codabar (NW7), 128, UCC/EAN 128 (GS1-128), ISBT128, 93, 11 (USD-8), MSI/Plessey, UK/Plessey, China Post code, GS1 DataBar (formerly: RSS) series 2D: PDF417, MicroPDF417, QR Code, MicroQR Code, DataMatrix, Hanxin Code, Aztec Code, GS1 Composite	
Extensible peripherals		
Status light	RGB 3 color LED light	
Camera	Monocular camera & Binocular camera	
Electric parameter		
Input voltage	DC 24V	DC12V
Power	About 27W	/
Machine parameters		
Size	397 x 267.8 x 599.9mm (±5mm)	
Material	Plastic+ABS	
Weight	Net weight : 7.9KGS	Grow weight : About 11kgs
Packing	size : 447 x 316 x 666mm (±5mm)	Packing material: Gravity carton + foam
Enviromental parameter		
Working environment	Working temperature 0℃ - 45℃	working Humidity 30% - 80%


Storage environment	Storage temperature -20 ℃ - 60℃	Storage Humidity 30% - 70%

I/O ports


RK3568



J6412



Dimension



Photo

